



Government of West Bengal Office of the Medical Superintendent cum Vice Principal IPGME&R-SSKM Hospital, KOLKATA-700020 E-mail: msvp.sskm@gmail.com, EPABX: 22041102

Memo No:MSVP/SSKM/ 1879

Dated: 27.2.24

To, Chief Engineer Planning & Waste Management Cell West Bengal Pollution Control Board Paribesh Bhawan, 10A, Block-L.A., Sector |||, Salt Lake City, Calcutta - 700 106

> Subject: Submission of Annual report in form IV of IPGME&R-SSKM, Kolkata for the year 2023.

Sir.

In reference to the above subject; it is to inform you that the Annual report in form IV of IPGME&R-SSKM, Kolkata for the year 2023 is submitting herewith for your ready reference and necessary action please.

Thank you,

Medical Superintendent Cum Vice Principal S. M. M. IPGME&R- SSKM Hospital MESE KONSTB-20

Memo No:MSVP/SSKM/ 1877

Dated: 27.2.24

Copy forwarded for information to:-1. Office copy

> Medical Superintendent Cum Vice Principal **IPGME&R-SSKM Hospital**

Form IV (See Rule 13) ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier health care facility(HCF), or common bio-medical waste treatment facility (CBWTF)]

Return No: 4863539

Period: 2023

1. Particulars of the Occupier					
(i) Name of the authorized person (Occupier or operator of facility):	Medical Superintendent cum Vice Principal				
(ii) Name of HCF or CBMWTF:	IPGMR-SSKM Hospital				
(iii) Address for Correspondence:	244 A J C Bose oad				
(iv) Address of Facility:	244 A J C Bose Road, Kolkata				
(v) Tel. No.:	9433832862				
(vi) Fax. No.:	-				
(vii) E-mail ID:	msvp.sskm@gmail.com				
(viii) URL of Website:	https://www.ipgmer.gov.in				
(ix) GPS coordinates of HCF of CBMWTF:	Lat:22.5396 N, Long: 88.3439 E				
(x) Ownership of HCF or CBMWTF:	State Goverment				
(xi) Status of Authorization under the BMW (Managementand Handing) Rules:	Authorization No.: 03-2S(BM)-926/2000-2001 dated 08.04.2021 Valid Upto: 31/01/2026				
(xii) Status of Consents under Water Act and Air Act.:	Valid Upto: 31/01/2026				
2. Type of Health Care Facility					
HCF/CBMWTF Type:	HCF				
(i) No. of Beds(for Bedded Hospital):	1770.0				
(ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other):	NA .				
(iii) Licence Number:	0				
(iv) Licence date of expiry:					
3. Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	Yellow Category: 233329 Red Category: 221449 White Category: 6746 Blue Category: 59348 General Solid Waste: 1620575				
4. Details of the Storage, Treatment, Transportation, Process	sing and Disposal Facility Details				
(i) Details of the on-site storage facility:	Size: 600 Capacity: 0 Provision of on-site storage: Central Waste Collection Room (CWC)				

(ii) Disposal Facility:		Type of Treatmen t Equipmen t	Number of Units	Capacity(Kg/day)	Quantity Treated or Disposed(Kg/annu m)		
	List is Empty						
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum:	0.0						
(iv) No of vehicles used for collection and transportation of BMW:	0						
(v) Details of incineration, ash and ETP sludge generated, disposal during the treatment of wastes in Kg per annum		Type of wa	Gen	antity erated	Where disposal		
	List is Empty						
(vi) Name of the Common BMW Treatment Facility Operator through which wastes are disposed of:	Medicare Environmental Management Pvt. Ltd, 41,F-Road, Belgachia, Howrah-711105.						
5. Do you have BMW management committee:	yes						
details:	BMW management committee present						
6. Training Conducted on BMW Details							
(i) Number of training conducted on BMW Management:	4						
(ii) Number of personnel trained:	104						
(iii) Number of personnel trained at the time of induction:	14						
(iv) Number of personnel not undergone any training so far:	0						
(v) Whether standard manual for training is available:	yes						
(vi) Any other information:	NA						
7. Details of the accident occurred			8	3 " = 11			
(i) No. of accident occurred:	0						
(ii) Number of the persons affected:	0						
(iii) Remedial Action taken:	NA						
(iv) Any Fatality occurred, details:	NA						
8. Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?:	NA	-				30	
Details of Continuous online emission monitoring systems installed:	NA .						
9. Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year:	NA NA						
10. Is the disinfection method or sterilization meeting the log for standards? How many times you have not met the standards in a year?:	NA NA						
11. Any other relevant information:	NA						

Name and Signature of the Head of the Institution

Date : 27/02/2024 **Place** : *Kolkata*